

1. Moto-Profil required web services definition	2
1.1 WSMotoKlient.asmx	3
1.1.1 InformacjaOKontrahencie	4
1.1.2 InvoiceCommision	5
1.1.3 PotwierdzZamowienie	7
1.1.4 ZamowTowary	8
1.1.5 ZamowTowaryMultiMag	10
1.1.6 ZamowTowaryNrZamowienia	12
1.1.7 ZwrocDepozyty	14
1.1.8 ZwrocDostawyKontrahenta	15
1.1.9 ZwrocNumeryFaktur	16
1.1.10 ZwrocNumeryFKZ	17
1.1.11 ZwrocNumeryLZ	18
1.1.12 ZwrocPozycjeFaktury	19
1.1.13 ZwrocPozycjeFKZ	20
1.1.14 ZwrocPozycjeLZ	21
1.1.15 ZwrocStanCeny	22
1.1.16 ZwrocStanCenyDostepnosc	24
1.1.17 ZwrocStanCenyDostepnoscWiecej	26
1.1.18 ZwrocStanCenyWiecej	28
1.1.19 ZwrocSzczegolyZamowieniaLista	30
1.2 WSMotoKlientTD.asmx	31
1.2.1 GetPriceAndQuantity	32
1.2.2 GetPriceAndQuantityMore	35
1.2.3 SubmitOrder	38
1.3 WSMotoOferta.asmx	41
1.3.1 ZwrocArtykulyProgramuMotoProfit	42
1.3.2 ZwrocArtykulyProgramuMotoProfitCsv	43
1.3.3 zwrocCennikDetalOffline	44
1.3.4 ZwrocCennikDetalOfflineSzczegolyCSV	45
1.3.5 ZwrocCennikDetalOfflineSzczegolyCSVWiecej	46
1.3.6 zwrocCennikDetalOfflineWiecej	47
1.3.7 zwrocListeArtykulowMPTD	48
1.3.8 ZwrocPlikOfertyMotoProfit	49
1.4 ZwrocCennikDetalOfflinePelny	50

Moto-Profil required web services definition



Moto-Profil Sp. z o.o.

Niedwiedziniec 10

41-506 Chorzów

Documentation version number	Release notes	Change date
1.7.2		2018-07-17
1.7.3	InvoiceCommision - InvoicePrice in response	2018-08-01
1.7.4	Additional methods in WSMotoOferta ZwrocArtykulyProgramuMotoProfit ZwrocArtykulyProgramuMotoProfitCsv ZwrocPlikOfertyMotoProfit	2019-02-12
1.7.5	Additional attribute "Deposit" in WSMotoKlientTD->GetPriceAndQuantity	2019-08-19
1.7.6	ZamowTowaryNrZamowienia - Placing an order with order number	2019-10-04
1.7.7	Additional info about stock availability in corresponding methods: (up to 6 units) (up to 26 units) ZwrocStanCeny ZwrocStanCenyWiecej ZwrocStanCenyDostepnosc ZwrocStanCenyDostepnoscWiecej ZwrocCennikDetalOfflineSzczegolyCSV ZwrocCennikDetalOfflineSzczegolyCSVWiecej zwrocCennikDetalOffline zwrocCennikDetalOfflineWiecej	2020-05-18

Uri main:

<https://195.242.186.3/MotoBiznesWS/>

Uri reserve:

<https://195.242.186.16/MotoBiznesWS/>

All operations are divided into several web services:

WS Name	Description
WSMotoKlient.asmx	Contains functions for placing orders, checking prices, getting documents
WSMotoKlientTD.asmx	Contains functions for placing orders and checking prices based on TecDoc numbers
WSMotoOferta.asmx	Contains functions for getting price list

WSMotoKlient.asmx

All operations

Name	Description
ZwrocStanCeny	Returns the stock and prices (price for Partner, retail price and VAT amt)
ZwrocStanCenyDostepnosc	Returns the stock and prices for local and main stock
ZamowTowary	Places an order
ZamowTowaryMultiMag	Places an order (extended response)
ZamowTowaryNrZamowienia	Places an order with order number
ZwrocNumeryFaktur	Returns invoices' numbers issued on particular day
ZwrocPozycjeFaktury	Returns list of items on particular invoice
ZwrocDepozyty	Returns placed or realized orders on given date
PotwierdzZamowienie	Function is used to verify, whether sent order has been accepted for realization
InformacjaOKontrahencie	Returns information about a parthen currency
ZwrocNumeryFKZ	Returns list of corrective invoices FKZ
ZwrocPozycjeFKZ	Returns list of FKZ items
ZwrocNumeryLZ	Returns list of LZ
ZwrocPozycjeLZ	Returns list of LZ items
ZwrocDostawyKontrahenta	Returns list of client's deliveries
ZwrocSzczegolyZamowieniaLista	Returns list of information about quantities ordered at particular warehouses
InvoiceCommision	Issue commision invoice and optionally places an order for sold parts

InformacjaOKontrahencie

Description

The function returns information about a parthen currency

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string

Response

In current version only a symbol of the account currency is being returned.

In the future, possible extend of returned data. Methods will be backward compatible. Any new information would be preceded by "|".

InvoiceCommision

Description

This function will issue an invoice for parts Partner has sold in commision. Optionally it can place an order for those parts

Request

Request parameter is Json object converted into string. No body item can be null

Example:

```
{ "Auth":
  {
    "FIKS": "99999",
    "Motonet": "8888"
  },
  "Items": [
    {
      "NrMotonet": "FTROP570",
      "Quantity": 1.0
    },
    {
      "NrMotonet": "ABS0215Q",
      "Quantity": 2.0
    }
  ]
}
```

Request Body Parameters

Name	Description	Type
FIKS	Partner's account number	string
Motonet	Partner's motonet number	string
NrMotonet	item motonet number	string
Quantity	quantity Partner wishes to invoice	double

Response

Response is also Json object converted into string

Example:

```
{ "Error": "",
  "Items": [
    {
```

```

    "NrMotonet": "FTROP570",

    "OrderedQuantity": 3,

    "InvoiceQuantity": 2,

    "InvoicePrice": 16.34,

    "Replacement": "ABS0215Q"

  },

  {

    "NrMotonet": "ABS530",

    "OrderedQuantity": 5,

    "InvoiceQuantity": 4,

    "InvoicePrice": 20.34,

    "Replacement": ""

  }

]

}

```

Response Body Items

Name	Description	Details	Type	Empty
Error	error message when something goes wrong	empty when operation succeeded	string	yes
NrMotonet	item motonet number		string	no
OrderedQuantity	the quantity ordered automatically	returns -1 when NrMotonet is not found on commision WZ	double	no
InvoiceQuantity	the quantity invoiced	returns -1 when NrMotonet is not found on commision WZ	double	no
InvoicePrice	item's price on invoice		double	no
Replacement	motonet number of replacement item	if the replacement exists	string	yes

PotwierdzZamowienie

Description

Function is used to verify, whether sent order has been accepted for realization in case of unexpected connection error or time out

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
zamowienie_guid	client's order unique ID sent as the last item in ZamowTowary	string

Response

If the order was accepted for realization, function returns list of ordered items. Form of this list is exactly the same as it was sent back after ordering with [ZamowTowary](#)

If the order was not accepted (error or time out occurred), function returns an empty list

ZamowTowary

Description

This function places an order for a group of items

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet_ilosc	a list of ordered items	string[]

Particular row structure (lista_nr_motonet_ilosc)

item motonet number|ordered quantity|F or P

F – invoice, P – receipt (optional)

the last item on the list is of structure:

GUID|guid_generated_order_id |G

Order ID should be in the form of GUID e.g.:

452E4B5D-B5FF-44a2-B733-EDE0DC28C77E

lista_nr_motonet_ilosc example

ABS0215Q|2|F

FTROP570|1|F

GUID|452E4B5D-B5FF-44a2-B733-EDE0DC28C77E|G

Response

Function returns list of strings. Every row is an information about particular ordered item. Rows order is the same as of the input list. The last item (GUID) is removed

Particular row structure

retail price|price for Partner|VAT amount|ordered quantity|selling quantity|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of to many unpaid invoices, one receives following information:

Z|quantity in stock (0-6)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|quantity in stock (0-6)|retail price|price for Partner|VAT amt

Response examples

Standard

20.56|13.46|23|2|1

10.37|7.46|23|1|1

Standard with replacer

35.35|20,56|23|5|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blockade

Z|10.00|9.12|23

Delivery confirmation blockade

D|56.93|51.22|23

Inactive item

-1|-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2|-2

ZamowTowaryMultiMag

Description

This function places an order for a group of items (many warehouses in response)

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet_ilosc	a list of ordered items	string[]

Particular row structure (lista_nr_motonet_ilosc)

item motonet number|ordered quantity|F or P

F – invoice, P – receipt (optional)

the last item on the list is of structure:

GUID|guid_generated_order_id|G

Order ID should be in the form of GUID e.g.:

452E4B5D-B5FF-44a2-B733-EDE0DC28C77E

lista_nr_motonet_ilosc example

ABS0215Q|2|F

FTROP570|1|F

GUID|452E4B5D-B5FF-44a2-B733-EDE0DC28C77E|G

Response

Function returns list of strings. Every row is an information about particular ordered item. Rows order is the same as of the input list. The last item (GUID) is removed

Particular row structure

retail price|price for Partner|VAT amount|ordered quantity CHO|ordered quantity WWA|selling quantity|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

ordered quantity CHO - quantity ordered in Chorzów warehouse

ordered quantity WWA - quantity ordered in Warszawa warehouse

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of to many unpaid invoices, one receives following information:

Z|quantity in stock (0-6)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|quantity in stock (0-6)|retail price|price for Partner|VAT amt

Response examples

Standard

20.56|13.46|23|0|2|1

10.37|7.46|23|1|5|1

Standard with replacer

35.35|20,56|23|5|1|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blockade

Z|10.00|9.12|23

Delivery confirmation blockade

D|56.93|51.22|23

Inactive item

-1|-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2|-2

ZamowTowaryNrZamowienia

Description

This function places an order for a group of items, adding an order number

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet_ilosc	a list of ordered items	string[]
nr_zamowienia	an order number	string

Particular row structure (lista_nr_motonet_ilosc)

item motonet number|ordered quantity|F or P

F – invoice, P – receipt (optional)

the last item on the list is of structure:

GUID|guid_generated_order_id|G

Order ID should be in the form of GUID e.g.:

452E4B5D-B5FF-44a2-B733-EDE0DC28C77E

lista_nr_motonet_ilosc example

ABS0215Q|2|F

FTROP570|1|F

GUID|452E4B5D-B5FF-44a2-B733-EDE0DC28C77E|G

Response

Function returns list of strings. Every row is an information about particular ordered item. Rows order is the same as of the input list. The last item (GUID) is removed

Particular row structure

retail price|price for Partner|VAT amount|ordered quantity|selling quantity|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of to many unpaid invoices, one receives following information:

Z|quantity in stock (0-6)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|quantity in stock (0-6)|retail price|price for Partner|VAT amt

Response examples

Standard

20.56|13.46|23|2|1

10.37|7.46|23|1|1

Standard with replacer

35.35|20,56|23|5|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blocade

Z|10.00|9.12|23

Delivery confirmation blocade

D|56.93|51.22|23

Inactive item

-1|-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2|-2

ZwrocDepozyty

Description

This function gets placed and realized orders on given date

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
data	desired date	DateTime rrrr-mm-dd

Response

Function returns list of strings. Every row is an information about particular order.

Particular row structure

motonet number|price for Partner|quantity

Response examples

ABS0215Q|20.56|5

FTROP570|13.45|1

ZwrocDostawyKontrahenta

Description

This function gets client's deliveries list

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string

Response

Function returns list of string

Row structure:

delivery name|time|delivery day |description|local stock name|main stock

delivery name – name of the delivery

time – hours when orders for delivery are accepted

delivery day – days when the delivery is possible (fields 0-6 means Monday-Saturday T/N)

description – delivery description

local stock name – name of Local Stock

main stock – mark T/N if the delivery comes from Main Stock

Response example

|18:31|TTTTTN||Magazyn główny|T

|15:01|NNNNNT||Magazyn główny|T

|11:05|TTTTTN||Magazyn Warszawa|N

ZwrocNumeryFaktur

Description

This function gets invoices' numbers issued on particular day

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
data	desired invoices issue date	DateTime rrrr-mm-dd

Response

Function returns list of information about invoices issued on particular day

Row structure:

invoice number|net value|VAT value|discount|issue date|payment date

Response example

FA 2543/06/2018/K|2353|541.19|0|2018-06-01|2018-07-01

ZwrocNumeryFKZ

Description

Function gets a list of corrective invoices (FKZ) numbers issued on a given day

Request parameters

fiks	Partner's account number	string
nr_konrahenta_motonet	Partner's motonet number	string
data	Date	DateTime

Response

Function returns list of strings where every row indicates one document

Row structure:

id|document number|issue date|payment date|NET ammount|VAT amount

Response example

1730141|FKZ 1798/06/2018/K|2018-06-30 17:00:08|2018-09-13 17:00:08|-7979,99|-1835,42

ZwrocNumeryLZ

Description

Function get a list of "load list" (LZ) documents numbers issued on a given day.

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
data	Date	DateTime

Response

Function returns list of strings where every row indicates one document

Row structure:

id|document_number|closure_date

Response example

3020930|LZ/282/27|2018-07-02 12:45:52

ZwrocPozycjeFaktury

Description

This function gets items list of particular invoice

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
invoice number	invoice number	string

Response

Function returns list of invoice items

Row structure:

prefiks|indeks|nr_motonet|quantity|price|name

Response example

PSA|1609015780|PSA1609015780|1|131.54|POMPA SPRZGA CITROEN PEUGEOT

ZwrocPozycjeFKZ

Description

This function gets items list of particular corrective invoice (FKZ)

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
identyfikator	FKZ id	int

Response

Function returns list of corrective invoice items

Row structure:

prefiks|indeks|quantity|NET retail price

Response example

FEB|21107|2|15.46

ZwrocPozycjeLZ

Description

This function gets items list of particular LZ document ID

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
document ID	LZ id	int

Response

Function returns list of string where every row means one item on LZ document

Row structure:

prefiks|indeks|quantity|NET retail price|box number|quantity from document

prefiks – Item prefiks in Moto-Profil's offer;

indeks – Item indeks in Moto-Profil's offer;

quantity – Item quantity scanned/packed;

NET retail price – item NET unit price or * (where * means that an item has been packed into multiple boxes)

box number – box number an item has been packed into

quantity from document - item quantity from the document (reservation) or * (where * means that an item has been packed into multiple boxes)

Response example

In case an item has been divided into different boxes it will be shown in separate rows, i. e.

XXX|1232456|1|12,53|OP-001|4

XXX|1232456|1|*|OP-002|*

XXX|1232456|2|*||OP-003|*,

thus 4 ordered pieces of the item XXX 123456 have been packed into 3 different boxes: OP-001 (1 piece), OP-002 (1 piece) and OP-003 (2 pieces).

Rows containing NET unit price and quantity from the document (reservation) are useful in delivery value control (entirely).

All rows (containing scanned quantity and box number) can be used to control delivery considering the content of collective boxes;

ZwrocStanCeny

Description

This function gets quantity in stock and price of a product (group of products)

Request parameters

Name	Description	Type
fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet	items' motonet numbers	string[]

Response

Function returns list of strings. Every row is an information about particular item. Rows order is the same as of the input list.

Particular row structure

quantity in stock (0-6)|retail price|price for Partner|VAT amount|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

Stock is given according to the rule:

0 – 5 – explicit amount

6 – more than five units

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of too many unpaid invoices, one receives following information:

Z|quantity in stock (0-6)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|quantity in stock (0-6)|retail price|price for Partner|VAT amt

Response examples

Standard

5|20.56|13.46|23

Standard with replacer

6|35.35|20,56|23|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blockade

Z|5|10.00|9.12|23

Delivery confirmation blockade

D|4|56.93|51.22|23

Inactive item

-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2

ZwrocStanCenyDostepnosc

Description

This function gets quantity in stock and price of a product (group of products) for local and main stock

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet	items' motonet numbers	string[]

Response

Function returns list of strings. Every row is an information about particular item. Rows order is the same as of the input list.

Particular row structure

main stock (0-6)|local stock (0-6)|retail price|price for Partner|VAT amount|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

Stock is given according to the rule:

0 – 5 – explicit amount

6 – more than five units

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of too many unpaid invoices, one receives following information:

Z|main stock (0-6)|local stock (0-6)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|main stock (0-6)|local stock (0-6)|retail price|price for Partner|VAT amt

Response examples

Standard

5|3|20.56|13.46|23

Standard with replacer

6|6|35.35|20,56|23|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blockade

Z|6|4|10.00|9.12|23

Delivery confirmation blockade

D|5|5|56.93|51.22|23

Inactive item

-1|-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2|-2

ZwrocStanCenyDostepnoscWiecej

Description

This function gets quantity in stock and price of a product (group of products) for local and main stock

Request parameters

fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet	items' motonet numbers	string[]

Response

Function returns list of strings. Every row is an information about particular item. Rows order is the same as of the input list.

Particular row structure

main stock (0-26)||local stock (0-26)|retail price|price for Partner|VAT amount|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

Stock is given according to the rule:

0 – 25 – explicit amount

26 – more than 25 units

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of too many unpaid invoices, one receives following information:

Z|main stock (0-26)||local stock (0-26)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|main stock (0-26)||local stock (0-26)|retail price|price for Partner|VAT amt

Response examples

Standard

21|3|20.56|13.46|23

Standard with replacer

26|26|35.35|20,56|23|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blockade

Z|7|4|10.00|9.12|23

Delivery confirmation blockade

D|5|5|56.93|51.22|23

Inactive item

-1|-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2|-2

ZwrocStanCenyWiecej

Description

This function gets quantity in stock and price of a product (group of products)

Request parameters

Name	Description	Type
fiks	Partner's account number	string
nr_kontrahenta_motonet	Partner's motonet number	string
lista_nr_motonet	items' motonet numbers	string[]

Response

Function returns list of strings. Every row is an information about particular item. Rows order is the same as of the input list.

Particular row structure

quantity in stock (0-26)|retail price|price for Partner|VAT amount|replacer motonet number (if exists)|replacer prefiks|replacer indeks|replacer name

Stock is given according to the rule:

0 – 25 – explicit amount

26 – more than 25 units

Particular elements in row can receive values:

-1 – inactive item

-2 – wrong motonet number

If Partner is blocked because of to many unpaid invoices, one receives following information:

Z|quantity in stock (0-26)|retail price|price for Partner|VAT amt

If Partner is blocked because of deliveries confirmation lacks, one receives following information:

D|quantity in stock (0-26)|retail price|price for Partner|VAT amt

Response examples

Standard

17|20.56|13.46|23

Standard with replacer

26|35.35|20,56|23|ABS0215Q|ABS|0215Q|SPRYNKI DO SZCZK HAM. MERCEDES W123 76-85

Unpaid invoices blockade

Z|5|10.00|9.12|23

Delivery confirmation blockade

D|4|56.93|51.22|23

Inactive item

-1|-1|-1|-1

Item does not exists

-2|-2|-2|-2

ZwrocSzczegolyZamowieniaLista

Description

Function gets detailed information about quantity ordered at particular warehouses

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string
guid	client's order unique ID sent as the last item in ZamowTowary	string

Response

Returns list of information about quantities ordered at particular warehouses

Row structure:

prefiks indeks|retail price|price for Client| VAT rate|quantity ordered Main Stock| quantity ordered Local Stock|replacer motonet number (if exists)

Response example

BLPADC446176|98,41|56,11|23|0|1

WSMotoKlientTD.asmx

This Webservice contains methods dependant on TecDoc numbers

All operations

GetPriceAndQuantity	Returns the stock and prices (price for Partner, retail price and VAT amt)
SubmitOrder	Places an order

GetPriceAndQuantity

Description

This function gets quantity in stock and price of a product (group of products)

Request

Request parameter is Json object converted into string. No body item can be empty

Example:

```
{
  "Auth":
    {
      "FIKS": "99999",
      "Motonet": "9999"
    },
  "Elems":
    [
      {
        "DLNr": "0043",
        "Elnumerdd": "CCH865"
      },
      {
        "DLNr": "0003",
        "Elnumerdd": "03.2419-8150.3"
      }
    ]
}
```

Request Body Parameters

FIKS	Partner's account number	string
Motonet	Partner's motonet number	string
DLNr	Producer code true to TecDoc	string
Elnumerdd	Producer item number (true to the data from TecDoc Suppliers)	double

Response

Response is also Json object converted into string. Items order is the same as of the input list. No body item can be empty

Example:

```
[
```



```

{
  "Error": null,
  "Quantity": 5.0,
  "RetailPrice": 29.56,
  "Price": 22.40,
  "VAT": 23,
  "Discount": 0.0,
  "Replacement":
    {
      "DLNr": "0034",
      "Elnumerdd": "00-457.09"
    },
  "Deposit": 10.0,
},
{
  "Error": "Article not found",
  "Quantity": 0.0,
  "RetailPrice": 0.0,
  "Price": 0.0,
  "VAT": 0.0,
  "Discount": 0.0,
  "Replacement": null,
  "Deposit": 0.0,
}
]

```

Response Body Items

Name	Description	Details	Type
Error	error message when something goes wrong	"null" when operation succeeded "Article not found" "Inactive article" "Lock: Z" when Partner is blocked due to unpaid invoices "Lock: D" when Partner is blocked due to unconfirmed deliveries	string
Quantity	quantity in stock	0 – 5 – explicit amount 6 – more than five units	double
RetailPrice	retail price		double
Price	price for Client		double
VAT	vat amount	in %	double

Discount	additional discount	additional discount Client can get when order takes place in special hours. To get more information please contact your sales representative	double
Replacement	replacer numbers (if exists)	"null" when replacer does not exists	string
Deposit	deposit value	0.0 when there is no deposit for an item	double

GetPriceAndQuantityMore

Description

This function gets quantity in stock and price of a product (group of products)

Request

Request parameter is Json object converted into string. No body item can be empty

Example:

```
{
  "Auth":
    {
      "FIKS": "99999",
      "Motonet": "9999"
    },
  "Elems":
    [
      {
        "DLNr": "0043",
        "Elnumerdd": "CCH865"
      },
      {
        "DLNr": "0003",
        "Elnumerdd": "03.2419-8150.3"
      }
    ]
}
```

Request Body Parameters

FIKS	Partner's account number	string
Motonet	Partner's motonet number	string
DLNr	Producer code true to TecDoc	string
Elnumerdd	Producer item number (true to the data from TecDoc Suppliers)	double

Response

Response is also Json object converted into string. Items order is the same as of the input list. No body item can be empty

Example:

```
[
```

```

{
  "Error": null,
  "Quantity": 24.0,
  "RetailPrice": 29.56,
  "Price": 22.40,
  "VAT": 23,
  "Discount": 0.0,
  "Replacement":
    {
      "DLNr": "0034",
      "Elnumerdd": "00-457.09"
    },
  "Deposit": 10.0,
},
{
  "Error": "Article not found",
  "Quantity": 0.0,
  "RetailPrice": 0.0,
  "Price": 0.0,
  "VAT": 0.0,
  "Discount": 0.0,
  "Replacement": null,
  "Deposit": 0.0,
}
]

```

Response Body Items

Name	Description	Details	Type
Error	error message when something goes wrong	"null" when operation succeeded "Article not found" "Inactive article" "Lock: Z" when Partner is blocked due to unpaid invoices "Lock: D" when Partner is blocked due to unconfirmed deliveries	string
Quantity	quantity in stock	0 – 25 – explicit amount 26 – more than 25 units	double
RetailPrice	retail price		double
Price	price for Client		double
VAT	vat amount	in %	double

Discount	additional discount	additional discount Client can get when order takes place in special hours. To get more information please contact your sales representative	double
Replacement	replacer numbers (if exists)	"null" when replacer does not exists	string
Deposit	deposit value	0.0 when there is no deposit for an item	double

SubmitOrder

Description

This function places an order for a group of items based on TecDoc numbers

Request

Request parameter is Json object converted into string. No body item can be empty

Example:

```
{
  "Auth":
    {
      "FIKS": "99999",
      "Motonet": "9999"
    },

  "OrderGUID": "3026a8d3-e162-420a-9b58-0b4b68302339",

  "Elems":
    [
      {
        "Quantity": 3,
        "DLNr": "0043",
        "Elnumerdd": "CCH865"
      },
      {
        "Quantity": 1,
        "DLNr": "0003",
        "Elnumerdd": "03.2419-8150.3"
      }
    ]
}
```

Request Body Parameters

FIKS	Partner's account number	string
Motonet	Partner's motonet number	string
OrderGUID	Order ID	string
Quantity	Ordered quantity	integer
DLNr	Producer code true to TecDoc	string
Elnumerdd	Producer item number (true to the data from TecDoc Suppliers)	double

Response

Response is also Json object converted into string. Items order is the same as of the input list. No body item can be empty

Example:

```
[
  {
    "Error": null,
    "RetailPrice": 29.56,
    "Price": 22.40,
    "VAT": 23,
    "QuantityOrdered": 5.0,

    "QuantityStep": 1.0,
    "Replacement":
    {
      "DLNr": "0034",
      "Elnumerdd": "00-457.09"
    }
  },
  {
    "Error": "Article not found",
    "RetailPrice": 0,
    "Price": 0,
    "VAT": 0,
    "QuantityOrdered": 0,
    "QuantityStep": 0,
    "Replacement": null
  }
]
```

Response Body Items

Name	Description	Details	Type
Error	error message when something goes wrong	"null" when operation succeeded "Article not found" "Inactive article" "Lock: Z" when Partner is blocked due to unpaid invoices "Lock: D" when Partner is blocked due to unconfirmed deliveries	string

QuantityOrdered	ordered quantity		double
QuantityStep	selling quantity		
RetailPrice	retail price		double
Price	price for Client		double
VAT	vat amount	in %	double
Replacement	replacer numbers (if exists)	"null" when replacer does not exists	string

WSMotoOferta.asmx

All operations

zwrocCennikDetalOffline	Returns the retail price list together with a stock
ZwrocCennikDetalOfflineSzczegolyCSV	Returns a list of retail prices and other details
zwrocListeArtykulowMPTD	Returns a list of Moto-Profil's items related to TecDoc catalog
ZwrocArtykulyProgramuMotoProfit	Returns a list of items in MotoProfit offer
ZwrocArtykulyProgramuMotoProfitCsv	Returns a list of MotoProfit's items in CSV format
ZwrocPlikOfertyMotoProfit	Returns a csv file with MotoProfit offer

ZwrocArtykulyProgramuMotoProfit

Description

This function gets the list of items in MotoProfit offer

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string

Response

Function returns list of ArtykulOfertaMotoProfit objects

```
<ArrayOfArtykulOfertaMotoProfit>
  <ArtykulOfertaMotoProfit>
    <Prefiks>string</Prefiks>
    <Indeks>string</Indeks>
    <BonusPH>decimal</BonusPH>
    <BonusWarsztat>decimal</BonusWarsztat>
  </ArtykulOfertaMotoProfit>
  <ArtykulOfertaMotoProfit>
    <Prefiks>string</Prefiks>
    <Indeks>string</Indeks>
    <BonusPH>decimal</BonusPH>
    <BonusWarsztat>decimal</BonusWarsztat>
  </ArtykulOfertaMotoProfit>
  .
  .
  .
</ArrayOfArtykulOfertaMotoProfit>
```

C# example

```
var ws = new WSMotoOferta();
ArtykulOfertaMotoProfit[] listaObiektow = ws.ZwrocArtykulyProgramuMotoProfit(fiks, motonet);
foreach (var artykulOferta in listaObiektow)
{
    var prefiks = artykulOferta.Prefiks;
    var indeks = artykulOferta.Indeks;
    var bonusPartnerH = artykulOferta.BonusPH;
    var bonusWarsztat = artykulOferta.BonusWarsztat;
}
```

ZwrocArtykulyProgramuMotoProfitCsv

Description

This function gets the list of items in MotoProfit offer

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string

Response

Function returns list of informations about MotoProfit's bonuses

Particular row structure

"prefiks";"indeks";bonusPartnerPH;bonusWarsztat

bonusPartnerPH - bonus that Partner is given for selling an item

bonusWarsztat - bonus that Partner's client is given for buying an item

Response example

"ABS";"0002Q";2,34;3,45

C# example

```
var ws = new WSMotoOferta();

string[] listaString = ws.ZwrocArtykulyProgramuMotoProfitCsv(fiks, motonet);

foreach (var artykulOferta in listaString)
{
    var artykulOfertaDane = artykulOferta.Split(';');
    var prefiks = artykulOfertaDane[0];
    var indeks = artykulOfertaDane[1];
    var bonusPartnerH = artykulOfertaDane[2];
    var bonusWarsztat = artykulOfertaDane[3];
}
```

zwrocCennikDetalOffline

Description

This function gets the list of retail prices together with the stock

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string
wersja	software version ID (could be anything)	string

Response

Function returns list of information about prices and stocks of particular items in Moto Profil's offer

Particular row structure

prefiks|indeks|type|stock|NET retail price|GROSS retail price|VAT amount|NET price for Partner

Stock is given according to the rule:

0 – 5 – explicit amount

6 – more than five units

"type" can be of value

T - for regular item

K - for a deposit core

Response example

ABS|421591|T|0|384,64|473,11|23|351,23

ABS|421591_REG|K|0|140|172,2|23|117,32

Remarks

The method can be called no more than once an hour by one client in one location.

ZwrocCennikDetalOfflineSzczegolyCSV

Description

This function gets the list of retail prices together with the stock

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string
wersja	software version ID (could be anything)	string

Response

Function returns list of information about retail prices and other details of particular items in Moto Profil's offer

Particular row structure

"prefixs";"indeks";"type";"stock";"NET retail price";"GROSS retail price";"VAT amount";"NET price for Partner";"currency";"not returnable";"deposit core value";"minimum order quantity";"supplier's number";"DLNr";"Elnumerdd"

Stock is given according to the rule:

0 – 5 – explicit amount

6 – more than five units

"type" can be of value

T - for regular item

K - for a deposit core

Response example

"ABS";"0002Q";"T";"0";"31,88";"39,21";"23";"16,58";"PLN";"N";"0";"1";"0002Q";"0206";"0002Q"

"ABS";"421591_REG";"K";"0";"140";"172,2";"23";"117,32";"PLN";"N";"0";"2";";";";";"

Remarks

The method can be called no more than once an hour by one client in one location.

ZwrocCennikDetalOfflineSzczegolyCSVWiecej

Description

This function gets the list of retail prices together with the stock

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string
wersja	software version ID (could be anything)	string

Response

Function returns list of information about retail prices and other details of particular items in Moto Profil's offer

Particular row structure

"prefiks";"indeks";"type";"stock";"NET retail price";"GROSS retail price";"VAT amount";"NET price for Partner";"currency";"not returnable";"deposit core value";"minimum order quantity";"supplier's number";"DLNr";"Elnumerdd"

Stock is given according to the rule:

0 – 25 – explicit amount

26 – more than 25 units

"type" can be of value

T - for regular item

K - for a deposit core

Response example

"ABS";"0002Q";"T";"0";"31,88";"39,21";"23";"16,58";"PLN";"N";"0";"1";"0002Q";"0206";"0002Q"

"ABS";"421591_REG";"K";"0";"140";"172,2";"23";"117,32";"PLN";"N";"0";"2";";";";"

Remarks

The method can be called no more than once an hour by one client in one location.

zwrocCennikDetalOfflineWiecej

Description

This function gets the list of retail prices together with the stock

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string
wersja	software version ID (could be anything)	string

Response

Function returns list of information about prices and stocks of particular items in Moto Profil's offer

Particular row structure

prefiks|indeks|type|stock|NET retail price|GROSS retail price|VAT amount|NET price for Partner

Stock is given according to the rule:

0 – 25 – explicit amount

26 – more than 25 units

"type" can be of value

T - for regular item

K - for a deposit core

Response example

ABS|421591|T|0|384,64|473,11|23|351,23

ABS|421591_REG|K|0|140|172,2|23|117,32

Remarks

The method can be called no more than once an hour by one client in one location.

zwrocListeArtykulowMPTD

Description

This function gets a list of Moto-Profil's items related to TecDoc catalog

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string

Response

Function returns list of strings

Particular row structure

prefiks|indeks|producer code|producer item number

prefiks - Item Prefiks from Moto-Profil's offer;

indeks - Item Indeks from Moto-Profil's offer;

producer code - Producer code true to TecDoc (DLNr)

producer item number - Producer item number (true to the data from TecDoc Suppliers)

Response example

ATE|03.2419-8150|0003|03.2419-8150.3

RTS|017.00020|0430|017-00020

ZwrocPlikOfertyMotoProfit

Description

Returns file in csv format with MotoProfit offer

Request parameters

fiks	Partner's account number	string
motonet	Partner's motonet number	string

Response

Byte array contains csv file with header

Remarks

Offer file is updated once an hour

C# example

```
var ws = new WSMotoOferta();  
  
byte[] dane = ws.ZwrocPlikOfertyMotoProfit(fiks, motonet);  
  
FileStream file = File.Create(@"e:\tmp\tmp.csv");  
  
file.Write(dane, 0, dane.Length);  
  
file.Close();
```

The method can be called no more than once an hour by one client in one location.